



ADDENDUM

Public Building Commission of Chicago | Richard J. Daley Center | 50 West Washington Street, Room 200 | Chicago, Illinois 60602 | (312) 744-3090 | pbcchicago.com

ADDENDUM NO.: 01
PROJECT NAME: CDOT Alleys (Various Locations) – Package 4
PROJECT NO.: 22907 thru 22911
CONTRACT NO.: C1621
DATE OF ISSUE: March 27, 2025

NOTICE OF CHANGES, MODIFICATIONS, OR CLARIFICATIONS TO CONTRACT DOCUMENTS

The following changes, modifications, or clarifications are hereby incorporated and made an integral part of the Contract Documents. Unless clearly expressed otherwise by this Addendum, all terms and conditions defined in the original Contract Documents shall continue in full force and effect and shall have the same meaning in this Addendum. Issued Addenda represent responses/clarifications to various inquiries. Contractors shall be responsible for including all associated labor/material costs in its bid. Drawings/specifications corresponding to inquiry responses will be issued with the Issue for Construction Documents, upon issuance of building permit.

ITEM NO. 1: CHANGE TO KEY DATES
None.

ITEM NO. 2: REVISIONS TO BOOK 1 – PBC INSTRUCTIONS TO BIDDERS
Change 1 Book 1 – **DELETE** SCHEDULE OF PRICES – CARROLL AVENUE (Pages 20 and 21 of 56) and **REPLACE WITH** Revised SCHEDULE OF PRICES – CARROLL AVENUE included in this addendum”. - *All Estimated Quantity amounts for line items 1 – 56 were changed on worksheet “22908 Carroll”.*

NOTE: [Updated Fillable Master Bid Form](https://www.alohaprintgroup.com/planroomc1621) (Excel version) is available from the Aloha Print Group’s Planroom: <https://www.alohaprintgroup.com/planroomc1621>, the <https://pbcchicago.com/opportunities/cdotalleys-package4/>, the hyperlink at the bottom of this document, as well as the PBC Alert communication.

ITEM NO. 3: REVISIONS TO BOOK 2 – PBC STANDARD TERMS AND CONDITIONS
None.

ITEM NO. 4: REVISIONS TO BOOK 3 – TECHNICAL SPECIFICATIONS
None.

ITEM NO. 5: REVISIONS TO DRAWINGS
Change 1 **REVISED** Sheet 5, Summary of Quantities per Project Location.

ITEM NO. 6: REQUESTS FOR INFORMATION
None.

This Addendum includes the following hyperlinked Drawings and/or Documents:

1. BOOK 1 – REVISED SCHEDULE OF PRICES – CARROLL AVENUE (Pages 20 and 21 of 56)
2. [Updated Fillable Master Bid Form dated 3/27/2025](#)

This Addendum includes the following attached Drawings:

1. [Sheet 5 – Summary of Quantities per Location dated 3/27/2025](#)

END OF ADDENDUM NO. 01

SCHEDULE OF PRICES

CHICAGO DEPARTMENT OF TRANSPORTATION ("CDOT") CAPITAL PROGRAM - ALLEYS (VARIOUS LOCATIONS) - PACKAGE 4
 LOCATION: W. CARROLL AVENUE/W. FULTON STREET/N. WOLCOTT AVENUE/N. WOOD STREET
 CDOT PROJECT NO.: #U-5-239/PBC PROJECT NO.: 22908
 PBC CONTRACT: C1621

Bidder's pricing for each line item should carry its share of the costs of work, plus its share of overhead and profit. Bidders should avoid nominal pricing for some lines and enhanced pricing for other lines.
 Bids that the PBC considers to be materially unbalanced will be rejected.

Line	Code Number	Description	Unit	Estimated Quantity	Unit Price	Cost
1	*****	EARTH EXCAVATION (SOIL TO LANDFILL)	CU YD	469		\$0.00
2	*****	PAVEMENT REMOVAL	SQ YD	39		\$0.00
3	*****	DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL	SQ YD	98		\$0.00
4	4400300	CURB REMOVAL	LIN FT	73		\$0.00
5	4400500	COMBINATION CURB AND GUTTER REMOVAL	LIN FT	139		\$0.00
6	4400600	SIDEWALK REMOVAL	SQ FT	305		\$0.00
7	*****	ALLEY PAVEMENT REMOVAL	SQ YD	1067		\$0.00
8	*****	GARAGE APRON REMOVAL	SQ FT	90		\$0.00
9	*****	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	54		\$0.00
10	*****	POROUS GRANULAR EMBANKMENT, SUBGRADE	CU YD	75		\$0.00
11	31101100	SUB-BASE GRANULAR MATERIAL, TYPE B	CU YD	146		\$0.00
12	20800150	TRENCH BACKFILL	CU YD	268		\$0.00
13	*****	PERVIOUS AGGREGATE SUBBASE	CU YD	58		\$0.00
14	*****	BEDDING AND VOID OPENING AGGREGATES FOR PERMEABLE PAVERS	CU YD	12		\$0.00
15	*****	CRUSHED STONE (TEMPORARY USE)	TON	60		\$0.00
16	35300300	PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	39		\$0.00
17	35300500	PORTLAND CEMENT CONCRETE BASE COURSE, 10 IN	SQ YD	0		\$0.00
18	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	25		\$0.00
19	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 10 IN	SQ YD	0		\$0.00
20	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN	SQ YD	795		\$0.00
21	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY RETURN PAVEMENT, 8 IN	SQ YD	31		\$0.00
22	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN	SQ FT	90		\$0.00
23	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	379		\$0.00
24	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN	SQ FT	248		\$0.00
25	*****	PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN	SQ FT	57		\$0.00
26	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN	SQ FT	0		\$0.00
27	*****	DRILL AND GROUT DOWEL AND TIE BARS	EACH	149		\$0.00
28	*****	PORTLAND CEMENT CONCRETE COLLAR FOR PERMEABLE BLOCK PAVERS	SQ FT	6669		\$0.00
29	*****	PERMEABLE CONCRETE BLOCK PAVERS	SQ FT	2681		\$0.00
30	40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	25		\$0.00
31	*****	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)	TON	10		\$0.00
32	40604062	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	2		\$0.00
33	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)	TON	6		\$0.00
34	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N70 (6 FT OR LESS)	TON	0		\$0.00
35	60600605	CONCRETE CURB, TYPE B	LIN FT	73		\$0.00
36	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND GUTTER, TYPE B-V.12	LIN FT	111		\$0.00
37	*****	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12	LIN FT	29		\$0.00

Line	Code Number	Description	Unit	Estimated Quantity	Unit Price	Cost	
38	*****	MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	1		\$0.00	
39	*****	CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)	EACH	2		\$0.00	
40	*****	DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED	EACH	0		\$0.00	
41	*****	VORTEX RESTRICTOR	EACH	1		\$0.00	
42	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 8 IN	LIN FT	0		\$0.00	
43	*****	STORM SEWERS, DUCTILE IRON PIPE, 8 IN	LIN FT	179		\$0.00	
44	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 12 IN	LIN FT	367		\$0.00	
45	*****	STORM SEWERS, DUCTILE IRON PIPE, 18 IN	LIN FT	0		\$0.00	
46	*****	STORM SEWERS, REINFORCED CONCRETE PIPE, 30 IN.	LIN FT	0		\$0.00	
47	*****	REMOVING CATCH BASINS	EACH	2		\$0.00	
48	*****	CATCH BASINS, MANHOLES, WATER VALVES, ROUNDWAYS, AND INLETS TO BE CLEANED	EACH	0		\$0.00	
49	60100085	GEOTECHNICAL FABRIC	SQ YD	221		\$0.00	
50	*****	PULVERIZED TOPSOIL MIX	CU YD	2		\$0.00	
51	*****	HYDRAULIC SEEDING, CLASS 1A	SQ YD	4		\$0.00	
52	*****	CONSTRUCTION SIGNS	SQ FT	64		\$0.00	
53	*****	PREMOLDED RUBBER SPEED HUMPS	EACH	0		\$0.00	
54	*****	REMOVE AND RELOCATE SIGN PANEL AND POLE ASSEMBLY	EACH	0		\$0.00	
55	*****	CIP OR PRECAST CONCRETE REDUCER	EACH	0		\$0.00	
56	CDOT SP 905-1	MEMBRANE WATERPROOFING SYSTEM	SQ FT	9532		\$0.00	
57	TOTAL FOR 22908/#U-5-239 - CARROLL					\$	-

SUMMARY OF QUANTITIES

Line	Code Number	Description	Unit	Estimated Quantity
1	*****	EARTH EXCAVATION (SOIL TO LANDFILL)	CU YD	1045.0
2	*****	PAVEMENT REMOVAL	SQ YD	45.0
3	*****	DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL	SQ YD	207.0
4	44000300	CURB REMOVAL	LIN FT	154.0
5	44000500	COMBINATION CURB AND GUTTER REMOVAL	LIN FT	201.0
6	44000600	SIDEWALK REMOVAL	SQ FT	947.0
7	*****	ALLEY PAVEMENT REMOVAL	SQ YD	2338.0
8	*****	GARAGE APRON REMOVAL	SQ FT	1966.0
9	*****	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	117.0
10	*****	POROUS GRANULAR EMBANKMENT, SUBGRADE	CU YD	0.0
11	31101100	SUB-BASE GRANULAR MATERIAL, TYPE B	CU YD	545.0
12	20800150	TRENCH BACKFILL	CU YD	0.0
13	*****	PERVIOUS AGGREGATE SUBBASE	CU YD	0.0
14	*****	BEDDING AND VOID OPENING AGGREGATES FOR PERMEABLE PAVERS	CU YD	0.0
15	*****	CRUSHED STONE (TEMPORARY USE)	TON	80.0
16	35300300	PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	36.0
17	35300500	PORTLAND CEMENT CONCRETE BASE COURSE, 10 IN	SQ YD	10.0
18	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	22.0
19	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 10 IN	SQ YD	9.0
20	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN	SQ YD	2392.0
21	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY RETURN PAVEMENT, 8 IN	SQ YD	25.0
22	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN	SQ FT	1966.0
23	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	1156.0
24	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN	SQ FT	704.0
25	*****	PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN	SQ FT	243.0
26	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN	SQ FT	0.0
27	*****	DRILL AND GROUT DOWEL AND TIE BARS	EACH	361.0
28	*****	PORTLAND CEMENT CONCRETE COLLAR FOR PERMEABLE BLOCK PAVERS	SQ FT	0.0
29	*****	PERMEABLE CONCRETE BLOCK PAVERS	SQ FT	0.0
30	40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	23.0
31	*****	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)	TON	0.0
32	40604062	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	0.0
33	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)	TON	26.0
34	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N70 (6 FT OR LESS)	TON	2.0
35	60600605	CONCRETE CURB, TYPE B	LIN FT	154.0
36	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND GUTTER, TYPE B-V.12	LIN FT	135.0
37	*****	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12	LIN FT	66.0
38	*****	MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0.0
39	*****	CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)	EACH	0.0
40	*****	DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED	EACH	6.0
41	*****	VORTEX RESTRICTOR	EACH	0.0
42	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 8 IN	LIN FT	0.0
43	*****	STORM SEWERS, DUCTILE IRON PIPE, 8 IN	LIN FT	0.0
44	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 12 IN	LIN FT	0.0
45	*****	STORM SEWERS, DUCTILE IRON PIPE, 18 IN	LIN FT	0.0
46	*****	STORM SEWERS, REINFORCED CONCRETE PIPE, 30 IN.	LIN FT	0.0
47	*****	REMOVING CATCH BASINS	EACH	0.0

48	*****	CATCH BASINS, MANHOLES, WATER VALVES, ROUNDWAYS, AND INLETS TO BE CLEANED	EACH	0.0
49	60100085	GEOTECHNICAL FABRIC	SQ YD	0.0
50	*****	PULVERIZED TOPSOIL MIX	CU YD	0.0
51	*****	HYDRAULIC SEEDING, CLASS 1A	SQ YD	0.0
52	*****	CONSTRUCTION SIGNS	SQ FT	64.0
53	*****	PREMOLDED RUBBER SPEED HUMPS	EACH	0.0
54	*****	REMOVE AND RELOCATE SIGN PANEL AND POLE ASSEMBLY	EACH	1.0
55	*****	CIP OR PRECAST CONCRETE REDUCER	EACH	0.0
56	CDOT SP 905-1	MEMBRANE WATERPROOFING SYSTEM	SQ FT	0.0

MODEL: Default
FILE NAME: I:\2025\Projects\Green Alley\0_PBC Alley Revisions\2025\Package -\CADD Drawings\2-CR20 - N. Paulina St\CADD Sheets\CP20-sh-ho-dese-2.dgn



USER NAME = Slackson	DESIGNED - AP	ADDENDUM 1 - 03/27/2025
	DRAWN - AP	REVISED -
PLOT SCALE = 20.0000 ' / in.	CHECKED - SJ	REVISED -
PLOT DATE = 3/27/2025	DATE - 03/27/2025	ISSUED FOR BID - 03/25/2025

CITY OF CHICAGO
DEPARTMENT OF TRANSPORTATION
1st WARD

SUMMARY OF QUANTITIES
PBC PROJECT NO # 22907
N. MILWAUKEE AVENUE - W. DIVISION STREET
N. PAULINA STREET - N. ASHLAND AVENUE

OCU NUMBER	COUNTY	TOTAL SHEETS	SHEET NO.
OCU IR #109803	COOK	23	5
STA. TO STA.	SCALE: NTS		

SUMMARY OF QUANTITIES

Line	Code Number	Description	Unit	Estimated Quantity
1	*****	EARTH EXCAVATION (SOIL TO LANDFILL)	CU YD	469.0
2	*****	PAVEMENT REMOVAL	SQ YD	39.0
3	*****	DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL	SQ YD	98.0
4	44000300	CURB REMOVAL	LIN FT	73.0
5	44000500	COMBINATION CURB AND GUTTER REMOVAL	LIN FT	139.0
6	44000600	SIDEWALK REMOVAL	SQ FT	305.0
7	*****	ALLEY PAVEMENT REMOVAL	SQ YD	1067.0
8	*****	GARAGE APRON REMOVAL	SQ FT	90.0
9	*****	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	54.0
10	*****	POROUS GRANULAR EMBANKMENT, SUBGRADE	CU YD	75.0
11	31101100	SUB-BASE GRANULAR MATERIAL, TYPE B	CU YD	146.0
12	20800150	TRENCH BACKFILL	CU YD	268.0
13	*****	PERVIOUS AGGREGATE SUBBASE	CU YD	58.0
14	*****	BEDDING AND VOID OPENING AGGREGATES FOR PERMEABLE PAVERS	CU YD	12.0
15	*****	CRUSHED STONE (TEMPORARY USE)	TON	60.0
16	35300300	PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	39.0
17	35300500	PORTLAND CEMENT CONCRETE BASE COURSE, 10 IN	SQ YD	0.0
18	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	25.0
19	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 10 IN	SQ YD	0.0
20	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN	SQ YD	795.0
21	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY RETURN PAVEMENT, 8 IN	SQ YD	31.0
22	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN	SQ FT	90.0
23	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	379.0
24	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN	SQ FT	248.0
25	*****	PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN	SQ FT	57.0
26	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN	SQ FT	0.0
27	*****	DRILL AND GROUT DOWEL AND TIE BARS	EACH	149.0
28	*****	PORTLAND CEMENT CONCRETE COLLAR FOR PERMEABLE BLOCK PAVERS	SQ FT	6669.0
29	*****	PERMEABLE CONCRETE BLOCK PAVERS	SQ FT	2681.0
30	40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	25.0
31	*****	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)	TON	10.0
32	40604062	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	2.0
33	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)	TON	6.0
34	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N70 (6 FT OR LESS)	TON	0.0
35	60600605	CONCRETE CURB, TYPE B	LIN FT	73.0
36	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND GUTTER, TYPE B-V.12	LIN FT	111.0
37	*****	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12	LIN FT	29.0
38	*****	MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	1.0
39	*****	CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)	EACH	2.0
40	*****	DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED	EACH	0.0
41	*****	VORTEX RESTRICTOR	EACH	1.0
42	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 8 IN	LIN FT	0.0
43	*****	STORM SEWERS, DUCTILE IRON PIPE, 8 IN	LIN FT	179.0
44	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 12 IN	LIN FT	367.0
45	*****	STORM SEWERS, DUCTILE IRON PIPE, 18 IN	LIN FT	0.0
46	*****	STORM SEWERS, REINFORCED CONCRETE PIPE, 30 IN.	LIN FT	0.0
47	*****	REMOVING CATCH BASINS	EACH	2.0

48	*****	CATCH BASINS, MANHOLES, WATER VALVES, ROUNDWAYS, AND INLETS TO BE CLEANED	EACH	0.0
49	60100085	GEOTECHNICAL FABRIC	SQ YD	221.0
50	*****	PULVERIZED TOPSOIL MIX	CU YD	2.0
51	*****	HYDRAULIC SEEDING, CLASS 1A	SQ YD	4.0
52	*****	CONSTRUCTION SIGNS	SQ FT	64.0
53	*****	PREMOLDED RUBBER SPEED HUMPS	EACH	0.0
54	*****	REMOVE AND RELOCATE SIGN PANEL AND POLE ASSEMBLY	EACH	0.0
55	*****	CIP OR PRECAST CONCRETE REDUCER	EACH	0.0
56	CDOT SP 905-1	MEMBRANE WATERPROOFING SYSTEM	SQ FT	9532.0

MODEL: Default
 FILE NAME: I:\2025\Projects\Green Alley\0_PBC Alley Revisions\2025\Package -\CADD Drawings\2-CPE2-W_Carroll Ave & N_Wood Street\CADD_Sheets\CPE2-chnotes-2.dgn



USER NAME = Slackson	DESIGNED - AP	ADDENDUM 1 - 03/27/2025
	DRAWN - AP	REVISED -
PLOT SCALE = 20.0000' / in.	CHECKED - SJ	REVISED -
PLOT DATE = 3/27/2025	DATE - 03/27/2025	ISSUED FOR BID - 03/25/2025

CITY OF CHICAGO
DEPARTMENT OF TRANSPORTATION
27th WARD

SUMMARY OF QUANTITIES
PBC PROJECT NO # 22908
 W. CARROLL AVENUE - W. FULTON STREET
 N. WOLCOTT AVENUE - N. WOOD STREET

OCU NUMBER	COUNTY	TOTAL SHEETS	SHEET NO.
OCU IR #125405	COOK	24	4
STA.	TO STA.	SCALE: NTS	

SUMMARY OF QUANTITIES

Line	Code Number	Description	Unit	Estimated Quantity
1	*****	EARTH EXCAVATION (SOIL TO LANDFILL)	CU YD	567.0
2	*****	PAVEMENT REMOVAL	SQ YD	14.0
3	*****	DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL	SQ YD	66.0
4	44000300	CURB REMOVAL	LIN FT	43.0
5	44000500	COMBINATION CURB AND GUTTER REMOVAL	LIN FT	62.0
6	44000600	SIDEWALK REMOVAL	SQ FT	118.0
7	*****	ALLEY PAVEMENT REMOVAL	SQ YD	1243.0
8	*****	GARAGE APRON REMOVAL	SQ FT	442.0
9	*****	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	0.0
10	*****	POROUS GRANULAR EMBANKMENT, SUBGRADE	CU YD	0.0
11	31101100	SUB-BASE GRANULAR MATERIAL, TYPE B	CU YD	288.0
12	20800150	TRENCH BACKFILL	CU YD	223.0
13	*****	PERVIOUS AGGREGATE SUBBASE	CU YD	0.0
14	*****	BEDDING AND VOID OPENING AGGREGATES FOR PERMEABLE PAVERS	CU YD	0.0
15	*****	CRUSHED STONE (TEMPORARY USE)	TON	30.0
16	35300300	PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	14.0
17	35300500	PORTLAND CEMENT CONCRETE BASE COURSE, 10 IN	SQ YD	0.0
18	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	0.0
19	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 10 IN	SQ YD	0.0
20	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN	SQ YD	1260.0
21	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY RETURN PAVEMENT, 8 IN	SQ YD	26.0
22	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN	SQ FT	442.0
23	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	208.0
24	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN	SQ FT	59.0
25	*****	PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN	SQ FT	59.0
26	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN	SQ FT	0.0
27	*****	DRILL AND GROUT DOWEL AND TIE BARS	EACH	159.0
28	*****	PORTLAND CEMENT CONCRETE COLLAR FOR PERMEABLE BLOCK PAVERS	SQ FT	0.0
29	*****	PERMEABLE CONCRETE BLOCK PAVERS	SQ FT	0.0
30	40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	7.0
31	*****	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)	TON	0.0
32	40604062	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	0.0
33	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)	TON	3.0
34	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N70 (6 FT OR LESS)	TON	0.0
35	60600605	CONCRETE CURB, TYPE B	LIN FT	43.0
36	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND GUTTER, TYPE B-V.12	LIN FT	45.0
37	*****	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12	LIN FT	17.0
38	*****	MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0.0
39	*****	CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)	EACH	3.0
40	*****	DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED	EACH	0.0
41	*****	VORTEX RESTRICTOR	EACH	1.0
42	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 8 IN	LIN FT	44.0
43	*****	STORM SEWERS, DUCTILE IRON PIPE, 8 IN	LIN FT	0.0
44	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 12 IN	LIN FT	10.0
45	*****	STORM SEWERS, DUCTILE IRON PIPE, 18 IN	LIN FT	171.0
46	*****	STORM SEWERS, REINFORCED CONCRETE PIPE, 30 IN.	LIN FT	93.0
47	*****	REMOVING CATCH BASINS	EACH	0.0

48	*****	CATCH BASINS, MANHOLES, WATER VALVES, ROUNDWAYS, AND INLETS TO BE CLEANED	EACH	0.0
49	60100085	GEOTECHNICAL FABRIC	SQ YD	0.0
50	*****	PULVERIZED TOPSOIL MIX	CU YD	4.0
51	*****	HYDRAULIC SEEDING, CLASS 1A	SQ YD	7.0
52	*****	CONSTRUCTION SIGNS	SQ FT	64.0
53	*****	PREMOLDED RUBBER SPEED HUMPS	EACH	0.0
54	*****	REMOVE AND RELOCATE SIGN PANEL AND POLE ASSEMBLY	EACH	0.0
55	*****	CIP OR PRECAST CONCRETE REDUCER	EACH	2.0
56	CDOT SP 905-1	MEMBRANE WATERPROOFING SYSTEM	SQ FT	0.0

MODEL: Default
FILE NAME: W:\2025\Projects\Green Alley\0_PBC_Alley_Revision\2025\Package -\CADD\Drawings\22-CR30-W-Ohio St & N-Albany Ave\CADD_Sheets\CR30-sheet-quantity2.dgn



USER NAME = Slackson	DESIGNED - AP	ADDENDUM 1 - 3/27/2025
PLOT SCALE = 20.0000' / in.	DRAWN - AP	REVISED -
PLOT DATE = 3/27/2025	CHECKED - LM	REVISED -
	DATE - 03/27/2025	ISSUED FOR BID - 03/25/2025

CITY OF CHICAGO
DEPARTMENT OF TRANSPORTATION
27TH WARD

SUMMARY OF QUANTITIES
PBC PROJECT NO # 22909
W. OHIO STREET - W. FRANKLIN BOULEVARD
N. ALBANY AVENUE - N. SACRAMENTO BOULEVARD

OCU NUMBER	COUNTY	TOTAL SHEETS	SHEET NO.
OCU IR #117567	COOK	25	4
STA. TO STA.	SCALE: NTS		

SUMMARY OF QUANTITIES

Line	Code Number	Description	Unit	Estimated Quantity
1	*****	EARTH EXCAVATION (SOIL TO LANDFILL)	CU YD	438.0
2	*****	PAVEMENT REMOVAL	SQ YD	50.0
3	*****	DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL	SQ YD	163.0
4	44000300	CURB REMOVAL	LIN FT	125.0
5	44000500	COMBINATION CURB AND GUTTER REMOVAL	LIN FT	160.0
6	44000600	SIDEWALK REMOVAL	SQ FT	467.0
7	*****	ALLEY PAVEMENT REMOVAL	SQ YD	1124.0
8	*****	GARAGE APRON REMOVAL	SQ FT	1302.0
9	*****	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	96.0
10	*****	POROUS GRANULAR EMBANKMENT, SUBGRADE	CU YD	0.0
11	31101100	SUB-BASE GRANULAR MATERIAL, TYPE B	CU YD	275.0
12	20800150	TRENCH BACKFILL	CU YD	189.0
13	*****	PERVIOUS AGGREGATE SUBBASE	CU YD	0.0
14	*****	BEDDING AND VOID OPENING AGGREGATES FOR PERMEABLE PAVERS	CU YD	0.0
15	*****	CRUSHED STONE (TEMPORARY USE)	TON	80.0
16	35300300	PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	50.0
17	35300500	PORTLAND CEMENT CONCRETE BASE COURSE, 10 IN	SQ YD	0.0
18	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	0.0
19	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 10 IN	SQ YD	0.0
20	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN	SQ YD	1181.0
21	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY RETURN PAVEMENT, 8 IN	SQ YD	47.0
22	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN	SQ FT	1302.0
23	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	536.0
24	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN	SQ FT	277.0
25	*****	PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN	SQ FT	190.0
26	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN	SQ FT	0.0
27	*****	DRILL AND GROUT DOWEL AND TIE BARS	EACH	205.0
28	*****	PORTLAND CEMENT CONCRETE COLLAR FOR PERMEABLE BLOCK PAVERS	SQ FT	0.0
29	*****	PERMEABLE CONCRETE BLOCK PAVERS	SQ FT	0.0
30	40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	63.0
31	*****	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)	TON	17.0
32	40604062	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	1.0
33	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)	TON	8.0
34	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N70 (6 FT OR LESS)	TON	0.0
35	60600605	CONCRETE CURB, TYPE B	LIN FT	125.0
36	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND GUTTER, TYPE B-V.12	LIN FT	117.0
37	*****	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12	LIN FT	44.0
38	*****	MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0.0
39	*****	CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)	EACH	3.0
40	*****	DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED	EACH	2.0
41	*****	VORTEX RESTRICTOR	EACH	1.0
42	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 8 IN	LIN FT	65.0
43	*****	STORM SEWERS, DUCTILE IRON PIPE, 8 IN	LIN FT	0.0
44	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 12 IN	LIN FT	20.0
45	*****	STORM SEWERS, DUCTILE IRON PIPE, 18 IN	LIN FT	0.0
46	*****	STORM SEWERS, REINFORCED CONCRETE PIPE, 30 IN.	LIN FT	198.0
47	*****	REMOVING CATCH BASINS	EACH	0.0

48	*****	CATCH BASINS, MANHOLES, WATER VALVES, ROUNDWAYS, AND INLETS TO BE CLEANED	EACH	1.0
49	60100085	GEOTECHNICAL FABRIC	SQ YD	0.0
50	*****	PULVERIZED TOPSOIL MIX	CU YD	16.0
51	*****	HYDRAULIC SEEDING, CLASS 1A	SQ YD	28.0
52	*****	CONSTRUCTION SIGNS	SQ FT	64.0
53	*****	PREMOLED RUBBER SPEED HUMPS	EACH	4.0
54	*****	REMOVE AND RELOCATE SIGN PANEL AND POLE ASSEMBLY	EACH	0.0
55	*****	CIP OR PRECAST CONCRETE REDUCER	EACH	4.0
56	CDOT SP 905-1	MEMBRANE WATERPROOFING SYSTEM	SQ FT	0.0

MODEL: Default
FILE NAME: W. 18th St. & S. Fairfield_Ave\CADD Drawings\2025\Package -\CADD Drawings\2025\CP37 - W. 18th St. & S. Fairfield_Ave\CADD_Sheets\CP37-sheets-2.dgn



USER NAME = Slackson	DESIGNED - AKC	ADDENDUM 1 - 03/27/2025
	DRAWN - AKC	REVISED -
PLOT SCALE = 20.0000 ' / in.	CHECKED - LM	REVISED -
PLOT DATE = 3/27/2025	DATE - 03/27/2025	ISSUED FOR BID - 03/25/2025

CITY OF CHICAGO
DEPARTMENT OF TRANSPORTATION
25th WARD

SUMMARY OF QUANTITIES
PRC PROJECT NO # 22910
W. 18TH STREET - W. 19TH STREET
S. FAIRFIELD AVENUE - S. WASHTENAW AVENUE

OCU NUMBER	COUNTY	TOTAL SHEETS	SHEET NO.
OCU IR #118257	COOK	24	4
STA. TO	SCALE: NTS		

SUMMARY OF QUANTITIES

Line	Code Number	Description	Unit	Estimated Quantity
1	*****	EARTH EXCAVATION (SOIL TO LANDFILL)	CU YD	516.0
2	*****	PAVEMENT REMOVAL	SQ YD	40.0
3	*****	DRIVEWAY AND ALLEY RETURN PAVEMENT REMOVAL	SQ YD	295.0
4	44000300	CURB REMOVAL	LIN FT	94.0
5	44000500	COMBINATION CURB AND GUTTER REMOVAL	LIN FT	155.0
6	44000600	SIDEWALK REMOVAL	SQ FT	113.0
7	*****	ALLEY PAVEMENT REMOVAL	SQ YD	1061.0
8	*****	GARAGE APRON REMOVAL	SQ FT	2460.0
9	*****	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	0.0
10	*****	POROUS GRANULAR EMBANKMENT, SUBGRADE	CU YD	0.0
11	31101100	SUB-BASE GRANULAR MATERIAL, TYPE B	CU YD	274.0
12	20800150	TRENCH BACKFILL	CU YD	0.0
13	*****	PERVIOUS AGGREGATE SUBBASE	CU YD	0.0
14	*****	BEDDING AND VOID OPENING AGGREGATES FOR PERMEABLE PAVERS	CU YD	0.0
15	*****	CRUSHED STONE (TEMPORARY USE)	TON	80.0
16	35300300	PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	40.0
17	35300500	PORTLAND CEMENT CONCRETE BASE COURSE, 10 IN	SQ YD	0.0
18	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 8 IN	SQ YD	28.0
19	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE BASE COURSE, 10 IN	SQ YD	0.0
20	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ALLEY PAVEMENT, 8 IN	SQ YD	1099.0
21	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE DRIVEWAY AND ALLEY RETURN PAVEMENT, 8 IN	SQ YD	92.0
22	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE GARAGE APRON, 8 IN	SQ FT	2460.0
23	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE SIDEWALK, 8 IN	SQ FT	1355.0
24	*****	PORTLAND CEMENT CONCRETE SIDEWALK, 5 IN	SQ FT	113.0
25	*****	PORTLAND CEMENT CONCRETE ADA CURB RAMP, 5 IN	SQ FT	0.0
26	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE ADA CURB RAMP, 8 IN	SQ FT	118.0
27	*****	DRILL AND GROUT DOWEL AND TIE BARS	EACH	204.0
28	*****	PORTLAND CEMENT CONCRETE COLLAR FOR PERMEABLE BLOCK PAVERS	SQ FT	0.0
29	*****	PERMEABLE CONCRETE BLOCK PAVERS	SQ FT	0.0
30	40600290	BITUMINOUS MATERIALS (TACK COAT)	POUND	16.0
31	*****	HOT-MIX ASPHALT SURFACE COURSE, IL-9.5LH, MIX "C", N30 (CDOT)	TON	0.0
32	40604062	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	0.0
33	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N30 (6 FT OR LESS)	TON	7.0
34	*****	HOT-MIX ASPHALT SURFACE COURSE, PATCH, N70 (6 FT OR LESS)	TON	0.0
35	60600605	CONCRETE CURB, TYPE B	LIN FT	94.0
36	*****	HIGH EARLY STRENGTH PORTLAND CEMENT CONCRETE COMBINATION CURB AND GUTTER, TYPE B-V.12	LIN FT	126.0
37	*****	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-V.12	LIN FT	30.0
38	*****	MANHOLE, 3 FT DIAMETER, TYPE A, FRAME AND CLOSED LID (CITY OF CHICAGO)	EACH	0.0
39	*****	CATCH BASIN, TYPE A, 4 FT DIAMETER, TYPE 1 FRAME, OPEN LID (CITY OF CHICAGO)	EACH	0.0
40	*****	DRAINAGE AND UTILITY STRUCTURES TO BE ADJUSTED	EACH	4.0
41	*****	VORTEX RESTRICTOR	EACH	0.0
42	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 8 IN	LIN FT	0.0
43	*****	STORM SEWERS, DUCTILE IRON PIPE, 8 IN	LIN FT	0.0
44	*****	STORM SEWERS, EXTRA STRENGTH VITRIFIED CLAY PIPE, 12 IN	LIN FT	0.0
45	*****	STORM SEWERS, DUCTILE IRON PIPE, 18 IN	LIN FT	0.0
46	*****	STORM SEWERS, REINFORCED CONCRETE PIPE, 30 IN.	LIN FT	0.0
47	*****	REMOVING CATCH BASINS	EACH	0.0

48	*****	CATCH BASINS, MANHOLES, WATER VALVES, ROUNDWAYS, AND INLETS TO BE CLEANED	EACH	3.0
49	60100085	GEOTECHNICAL FABRIC	SQ YD	0.0
50	*****	PULVERIZED TOPSOIL MIX	CU YD	6.0
51	*****	HYDRAULIC SEEDING, CLASS 1A	SQ YD	13.0
52	*****	CONSTRUCTION SIGNS	SQ FT	64.0
53	*****	PREMOLDED RUBBER SPEED HUMPS	EACH	8.0
54	*****	REMOVE AND RELOCATE SIGN PANEL AND POLE ASSEMBLY	EACH	0.0
55	*****	CIP OR PRECAST CONCRETE REDUCER	EACH	0.0
56	CDOT SP 905-1	MEMBRANE WATERPROOFING SYSTEM	SQ FT	0.0

MODEL: Default
 FILE NAME: W_2025_PBC-Alley-Resubmittals2025Package -ACADD-Drawings24-CP03-W_Hirsch_S_&_N_Latrobe_Ave-CP03-Sheets-CP03-sht-CP03-2.dgn



USER NAME = Slackson	DESIGNED - AB	ADDENDUM 1 - 03/27/2025
	DRAWN - AB	REVISED -
PLOT SCALE = 20.0000' / in.	CHECKED - SJ	REVISED -
PLOT DATE = 3/27/2025	DATE - 03/27/2025	ISSUED FOR BID - 03/25/2025

CITY OF CHICAGO
DEPARTMENT OF TRANSPORTATION
37TH WARD

SUMMARY OF QUANTITIES
PBC PROJECT NO # 22911
 W. HIRSCH STREET - W. POTOMAC AVENUE
 N. LATROBE AVENUE - N. LARAMIE AVENUE

OCU NUMBER	COUNTY	TOTAL SHEETS	SHEET NO.
OCU IR #125593	COOK	18	4
STA. TO STA.	SCALE: AS SHOWN		